Index of Authors

Abdullah, N. *see* Lan, G.Q.
Abeywickrama, K. *see* Ranasinghe, L.
Abrunhosa, L. *see* Santos, I.M.
Abu-Amero, K.K., Halablab, M.A. & Miles, R.J. Alternative to fluorescence assays to monitor fusion between *Acholeplasma laidlawii* cells and liposomes, 528
Ajisaka, N. *see* Mitsumori, M.
Alexeeva, Y.V., Ivanova, E.P., Bakunina, I.Y., Zvaygintseva, T.N. & Mikhailov, V.V. Optimization of glycosidases production by *Pseudoalteromonas issachenkonii* KMM 3549^T, 343
de Almeida, A.M.P. *see* Cavalcanti, Y.V.N.
de Almeida, A.M.P. *see* Pereira, M.S.V.
Almeida, C.B. *see* Rocha, E.M.F.
Alonzo, V. *see* Nostro, A.
Álvarez, I., Pagán, R., Raso, J. & Condón, S. Environmental factors influencing the inactivation of *Listeria monocytogenes* by pulsed electric fields, 489
Amar, C.F.L., Chalmers, R.M., Elwin, K., Tynan, P. & McLauchlin, J. Blinded evaluation of DNA extraction and genotyping of stained *Cryptosporidium* on glass slides, 486
Anpilov, A.M., Barkhudarov, E.M., Christofi, N., Kop'ev, V.A., Kossyi, I.A., Taktakishvili, M.I. & Zadiraka, Y. Pulsed high voltage electric discharge disinfection of microbially contaminated liquids, 90
Araujo, C.E.P. *see* Sawaya, A.C.H.F.
Arena, S. *see* Trombetta, D.
Atabay, H.I., Bang, D.D., Aydin, F., Erdogan, H.M. & Madsen, M. Discrimination of *Arcobacter butzleri* isolates by polymerase chain reaction-mediated DNA fingerprinting, 141
Atarés, E. *see* Costa, E.
Aydin, F. *see* Atabay, H.I.

Bader, A. *see* Nostro, A.
Bakshi, D.K. *see* Nandi, S.
Bakunina, I.Y. *see* Alexeeva, Y.V.
Banerjee, T. *see* Patil, S.
Bang, D.D. *see* Atabay, H.I.
Barkhudarov, E.M. *see* Anpilov, A.M.
Bavai, C. *see* Vernozy-Rozand, C.
Becker, H. *see* Bürk, C.
Bell, R.G. *see* Boerema, J.A.
Beneduce, L. *see* Spano, G.
Bensoussan, M. *see* Dantigny, P.
Berner, M.D. *see* Hunter Jr, K.W.
Beuchat, L.R., Scouten, A.J. & Jablonska, J. Influence of composition of diluent on populations of yeasts and moulds recovered from raw fruits, 399
Bidochka, M.J. *see* Kamp, A.M.
Bisignano, G. *see* Trombetta, D.
Blake, D. *see* Humphry, R.W.
Boerema, J.A., Broda, D.M. & Bell, R.G. PCR detection of psychrotolerant clostridia associated with deep tissue spoilage of vacuum-packed chilled meats, 446
Bouvet, J. *see* Vernozy-Rozand, C.
Braumiller, I.G.B. *see* Bürk, C.
Bremer, P.J., Monk, I. & Butler, R. Inactivation of *Listeria monocytogenes*/*Flavobacterium* spp. biofilms using chlorine: impact of substrate, pH, time and concentration, 321
Brendehaug, J. *see* Nissen, H.
Brett, M. *see* Sim, J.
Broda, D.M. *see* Boerema, J.A.
Bürk, C., Braumiller, I.G.B., Becker, H. & Märtlbauer, E. Nuclease fluorescence assay for the detection of verotoxin genes in raw milk, 153
Butler, R. *see* Bremer, P.J.

Caetano, F.M. *see* Sawaya, A.C.H.F.
Campos-Takaki, G.M. *see* Pereira, M.S.V.
Cannatelli, M.A. *see* Nostro, A.
Caridi, A. Protective agents used to reverse the metabolic changes induced in wine yeasts by concomitant osmotic and thermal stress, 98
Caruso, S. *see* Trombetta, D.
Castelli, F. *see* Trombetta, D.
Cavalcanti, Y.V.N., Leal, N.C. & de Almeida, A.M.P. Typing of *Yersinia pestis* isolates from the state of Ceará, Brazil, 543
Cha, J.-S. *see* Lee, H.-I.
Chakraborti, A. *see* Nandi, S.
Chalmers, R.M. *see* Amar, C.F.L.
Chang, Y.J. *see* Ho, C.M.
Chen, C. *see* McKenna, F.
Chisholm, S.A., Teare, E.L., Patel, B. & Owen, R.J. Determination of *Helicobacter pylori vacA* allelic types by single-step multiplex PCR, 42
Cho, Y.J., Park, J.P., Hwang, H.J., Kim, S.W., Choi, J.W. & Yun, J.W. Production of red pigment by submerged culture of *Paecilomyces sinclairii*, 195
Choi, J.W. *see* Cho, Y.J.
Christofi, N. *see* Anpilov, A.M.
Cioni, P.L. *see* Nostro, A.
Claassen, E. *see* de Waard, R.
Condón, S. *see* Álvarez, I.
Corpas, I. *see* Marquina, D.
Costa, E., Teixidó, N., Usall, J., Atarés, E. & Viñas, I. The effect of nitrogen and carbon sources on growth of the biocontrol agent *Pantoea agglomerans* strain CPA-2, 117
Courtney, P.D. *see* Jenkins, J.K.

Cudjoe, K. *see* Urdahl, A.M.
Czaczyk, K. *see* Jelen, H.H.

da Costa Coutinho, H.L. *see* Peixoto, R.S.
Daggard, G. *see* Zhang, G.W.
Dantigny, P., Soares Mansur, C., Sautour, M., Tchobanov, I. & Bensoussan, M. Relationship between spore germination kinetics and lag time during growth of *Mucor racemosus*, 395
da Silva Cunha, I.B. *see* Sawaya, A.C.H.F.
de Giori, G.S., Foucaud-Scheunemann, C., Ferchichi, M. & Hemme, D. Glutamate uptake in *Lactobacillus delbrueckii* subsp. *bulgaricus* CNRZ 208 and its enhancement by a combination of Mn^{2+} and Mg^{2+}, 428
Dell, B. *see* McKenna, F.
Deutch, C.E. Characterization of a salt-tolerant extracellular α-amylase from *Bacillus dipsosauri*, 78
de Waard, R., Garssen, J., Vos, J.G. & Claassen, E. Modulation of delayed-type hypersensitivity and acquired cellular resistance by orally administered viable indigenous lactobacilli in *Listeria monocytogenes* infected Wistar rats, 256
Dhindsa, K.S., Sangodkar, U.M.X. & Kumar, A. Novel cost-effective method of screening soils for the presence of mosquito-pathogenic bacilli, 457
Dijksterhuis, J. *see* Hoogerwerf, S.W.
dos Santos, S.C.C., Rodrigues Coelho, M.R. & Seldin, L. Evaluation of the diversity of *Paenibacillus polymyxa* strains by using the DNA of bacteriophage IPy1 as a probe in hybridization experiments, 52
Dowds, B.C.A. *see* Roche, D.M.
D'Souza, D.H. & Jaykus, L.-A. Zirconium hydroxide effectively immobilizes and concentrates human enteric viruses, 414
Dušková, D. *see* Slováková, L.
Dworaczek, M. *see* Dykes, G.A.
Dykes, G.A. & Dworaczek, M. Influence of interactions between temperature, ferric ammonium citrate and glycine betaine on the growth of *Listeria monocytogenes* in a defined medium, 538

El-Tarabily, K.A. *see* McKenna, F.
El-Tarabily, K.A. *see* Park, J.-O.
Elwin, K. *see* Amar, C.F.L.
Englen, M.D. & Fedorka-Cray, P.J. Evaluation of a commercial diagnostic PCR for the identification of *Campylobacter jejuni* and *Campylobacter coli*, 353
Erdogan, H.M. *see* Atabay, H.I.
Etoh, H. *see* Tanaka, H.

Fedorka-Cray, P.J. *see* Englen, M.D.
Fenlon, D. *see* Humphry, R.W.
Ferchichi, M. *see* de Giori, G.S.
Ferchichi, M. *see* Gendrot, F.
Ferreira, R., Fonseca, L.S. & Lilenbaum, W. Agar gel immunodiffusion test (AGID) evaluation for detection of bovine paratuberculosis in Rio de Janeiro, Brazil, 173
Finnie, L. *see* Sim, J.
Flint, K.P. *see* Özkanca, R.
Fonseca, L.S. *see* Ferreira, R.
Foucaud-Scheunemann, C. *see* de Giori, G.S.
Foucaud-Scheunemann, C. *see* Gendrot, F.
Foucaud-Scheunemann, C. *see* Germain-Alpettaz, V.
Fujimura, S., Kawamura, T., Kato, S., Tateno, H. & Watanabe, A. Detection of *Helicobacter pylori* in cow's milk, 504
Fujita, Y. *see* Kobayashi, M.
Fujiwara, S. *see* Tanaka, H.
Furuya, D. *see* Kondoh, K.

Ganguly, N.K. *see* Nandi, S.
Gao, L.F., Hu, Z.A. & Wang, H.X. Genetic diversity of rhizobia isolated from *Caragana intermedia* in Maowusu sandland, north of China, 347
Garssen, J. *see* de Waard, R.
Gault, R.A. *see* Hunter Jr, K.W.
Gaya, P. *see* Morales, P.
Gendrot, F., Foucaud-Scheunemann, C., Ferchichi, M. & Hemme, D. Characterization of amino acid transport in the dairy strain *Leuconostoc mesenteroides* subsp. *mesenteroides* CNRZ 1273, 291
Germain-Alpettaz, V. & Foucaud-Scheunemann, C. Identification and characterization of an oligopeptide transport system in *Leuconostoc mesenteroides* subsp. *mesenteroides* CNRZ 1463, 68
Ghisalberti, E.L. *see* Park, J.-O.
Gibson, G.R. *see* Probert, H.M.
Gondo, T. *see* Sekizuka, T.
Goto, N. *see* Morisaki, H.
Graham, C. *see* Sim, J.
Grill, J.-P. *see* Warchol, M.
Gunasekaran, P. *see* Rajendhran, J.
Gunn, G.J. *see* Humphry, R.W.
Gupte, M.D. & Kulkarni, P.R. A study of antifungal antibiotic production by *Streptomyces chattanoogensis* MTCC 3423 using full factorial design, 22

Halablab, M.A. *see* Abu-Amero, K.K.
Haltrich, D. *see* Ludwig, R.

Harms, C., Käse, M. & Hildebrandt, A. Characterization of minute differences between genomes of strains of *Penicillium nalgiovense* using subtractive suppression hybridization without cloning, 113
Harper, W.J. *see* Jenkins, J.K.
He, P. *see* Wang, Q.
Hedderwick, S. *see* Millar, B.C.
Heir, E. *see* Urdahl, A.M.
Hemme, D. *see* de Giori, G.S.
Hemme, D. *see* Gendrot, F.
Hepburn, N.F., MacRae, M. & Ogden, I.D. Survival of *Escherichia coli* O157 in abattoir waste products, 233
Hildebrandt, A. *see* Harms, C.
Hirata, M. *see* Tanaka, H.
Ho, C.M., Tseng, S.K. & Chang, Y.J. Simultaneous nitrification and denitrification using an autotrophic membrane-immobilized biofilm reactor, 481
Ho, G.E. *see* Kuang, Y.
Ho, Y.W. *see* Lan, G.Q.
Holovská, K., Lenártová, V., Holovská, K., Pristaš, P. & Javorský, P. Are ruminal bacteria protected against environmental stress by plant antioxidants?, 301
Holovská, K. *see* Holovská, K.
Hood, D. *see* Sim, J.
Hoogerwerf, S.W., Kets, E.P.W. & Dijksterhuis, J. High-oxygen and high-carbon dioxide containing atmospheres inhibit growth of food associated moulds, 419
Horgan, G. *see* Humphry, R.W.
Horie, M., Kajikawa, H.S. & Toba, T. Identification of *Lactobacillus crispatus* by polymerase chain reaction targeting S-layer protein gene, 57
Horii, T., Morita, M., Kameno, Y., Kanno, T. & Maekawa, M. Comparison of a new system (Compactdry SCD) with conventional methods for quantitative urine cultures, 499
Hu, Z.A. *see* Gao, L.F.
Hudson, J.A. *see* Sim, J.
Humphry, R.W., Blake, D., Fenlon, D., Horgan, G., Low, J.C. & Gunn, G.J. The quantitative measurement of antimicrobial resistance in *Escherichia coli* at the meta-population level (meta-population analysis), 326
Hunter Jr, K.W., Gault, R.A. & Berner, M.D. Preparation of microparticulate β-glucan from *Saccharomyces cerevisiae* for use in immune potentiation, 267
Hwang, H.J. *see* Cho, Y.J.

Igarashi, T. *see* Morisaki, H.
Issack, M.I. *see* Khoodoo, M.H.R.
Ivanova, E.P. *see* Alexeeva, Y.V.

Jablonska, J. *see* Beuchat, L.R.
Jalaludin, S. *see* Lan, G.Q.
Jaufeerally-Fakim, Y. *see* Khoodoo, M.H.R.
Javorský, P. *see* Holovská, K.
Jayawardena, B. *see* Ranasinghe, L.
Jaykus, L.-A. *see* D'Souza, D.H.
Jaykus, L.-A. *see* Koo, K.
Jelen, H.H., Mildner, S. & Czaczyk, K. Influence of octanoic acid addition to medium on some volatile compounds and PR-toxin biosynthesis by *Penicillium roqueforti*, 37
Jenkins, J.K., Harper, W.J. & Courtney, P.D. Genetic diversity in Swiss cheese starter cultures assessed by pulsed field gel electrophoresis and arbitrarily primed PCR, 423
Jeong, K.-S. *see* Lee, H.-I.
Jiang, H.-L., Tay, J.-H. & Tay, S.T.-L. Aggregation of immobilized activated sludge cells into aerobically grown microbial granules for the aerobic biodegradation of phenol, 439
Jiang, N. *see* Wang, Q.
Jirasripongpun, K. The characterization of oil-degrading microorganisms from lubricating oil contaminated (scale) soil, 296

Kajikawa, H. *see* Mitsumori, M.
Kajikawa, H.S. *see* Horie, M.
Kameno, Y. *see* Horii, T.
Kamp, A.M. & Bidochka, M.J. Conidium production by insect pathogenic fungi on commercially available agars, 74
Kanno, T. *see* Horii, T.
Käse, M. *see* Harms, C.
Kato, S. *see* Fujimura, S.
Kawamura, T. *see* Fujimura, S.
Kets, E.P.W. *see* Hoogerwerf, S.W.
Khoodoo, M.H.R., Issack, M.I. & Jaufeerally-Fakim, Y. Serotyping and RAPD profiles of *Salmonella enterica* isolates from Mauritius, 146
Kiers, J.L., Nout, M.J.R., Rombouts, F.M., Nabuurs, M.J.A. & van der Meulen, J. Inhibition of adhesion of enterotoxigenic *Escherichia coli* K88 by soya bean tempe, 311
Kim, K.P., Rhee, C.H. & Park, H.D. Degradation of cholesterol by *Bacillus subtilis* SFF34 isolated from Korean traditional fermented flatfish, 468
Kim, S.W. *see* Cho, Y.J.
Kleiberg, G.H. *see* Nissen, H.
Kobayashi, D. *see* Kondoh, K.

Kobayashi, M., Nomura, M., Fujita, Y., Okamoto, T. & Ohmomo, S. Influence of lactococcal plasmid on the specific growth rate of host cells, 403
Koh, J.H., Yu, K.W. & Suh, H.J. Biological activities of *Saccharomyces cerevisiae* and fermented rice bran as feed additives, 47
Kondoh, K., Furuya, D., Yagihashi, A., Uehara, N., Nakamura, M., Kobayashi, D., Tsuji, N. & Watanabe, N. Comparison of arbitrarily primed-polymerase chain reaction and pulse-field gel electrophoresis for characterizing methicillin-resistant *Staphylococcus aureus*, 62
Koo, K. & Jaykus, L.-A. Detection of single nucleotide polymorphisms within the *Listeria* genus using an 'asymmetric' fluorogenic probe set and fluorescence resonance energy transfer based-PCR, 513
Kop'ev, V.A. *see* Anpilov, A.M.
Kossyi, I.A. *see* Anpilov, A.M.
Kotiw, M. *see* Zhang, G.W.
Krishnakumar, V. *see* Rajendhran, J.
Kuang, Y., Lepesteur, M., Pullammanappallil, P. & Ho, G.E. Influence of co-substrates on structure of microbial aggregates in long-chain fatty acid-fed anaerobic digesters, 190
Kulkarni, P.R. *see* Gupte, M.D.
Kumar, A. *see* Dhindsa, K.S.
Kumar, R. *see* Nandi, S.
Kurane, R. *see* Tanaka, Y.
Kurihara, M. *see* Mitsumori, M.

Lan, G.Q., Abdullah, N., Jalaludin, S. & Ho, Y.W. Optimization of carbon and nitrogen sources for phytase production by *Mitsuokella jalaludinii*, a new rumen bacterial species, 157
Lan, W.-Z., Qin, W.-M. & Yu, L.-J. Effect of glutamate on arachidonic acid production from *Mortierella alpina*, 357
Leal, N.C. *see* Cavalcanti, Y.V.N.
Leal, N.C. *see* Pereira, M.S.V.
Leal, T.C.A. *see* Pereira, M.S.V.
Lee, H.-I., Jeong, K.-S. & Cha, J.-S. PCR assays for specific and sensitive detection of *Pseudomonas tolaasii*, the cause of brown blotch disease of mushrooms, 276
Lenártová, V. *see* Holovská, K.
Lepesteur, M. *see* Kuang, Y.
Li, Y. & Mustapha, A. Evaluation of four template preparation methods for polymerase chain reaction-based detection of *Salmonella* in ground beef and chicken, 508
Lilenbaum, W. *see* Ferreira, R.
Lima, N. *see* Santos, I.M.
Lin, Y.-M. *see* Liu, Y.
Liu, Y., Woon, K.-H., Yang, S.-F. & Tay, J.-H. Influence of phenol on cultures of acetate-fed aerobic granular sludge, 162
Liu, Y., Yang, S.-F., Tan, S.-F., Lin, Y.-M. & Tay, J.-H. Aerobic granules: a novel zinc biosorbent, 548
Low, J.C. *see* Humphry, R.W.
Lu, D. *see* Wang, Q.
Ludwig, R. & Haltrich, D. Cellobiose dehydrogenase production by *Sclerotium* species pathogenic to plants, 261

McKenna, F., El-Tarabily, K.A., Petrie, S., Chen, C. & Dell, B. Application of actinomycetes to soil to ameliorate water repellency, 107
McLauchlin, J. *see* Amar, C.F.L.
McMullan, R. *see* Millar, B.C.
Macrae, A. *see* Peixoto, R.S.
MacRae, M. *see* Hepburn, N.F.
Madsen, M. *see* Atabay, H.I.
Maekawa, M. *see* Horii, T.
Magan, N. *see* Pavlou, A.
Majdak, A. *see* Redžepović, S.
Marcucci, M.C. *see* Sawaya, A.C.H.F.
Marino, A. *see* Nostro, A.
Marounek, M. *see* Slováková, L.
Marquina, D., Santos, A., Corpas, I., Muñoz, J., Zazo, J. & Peinado, J.M. Dietary influence of kefir on microbial activities in the mouse bowel, 136
Martinez-Rossi, N.M. *see* Rocha, E.M.F.
Märtlbauer, E. *see* Bürk, C.
Massa, S. *see* Spano, G.
Mata, M., Skarmeta, A. & Santos, Y. A proposed serotyping system for *Flavobacterium psychrophilum*, 166
Matsuda, M. *see* Sekizuka, T.
Maugueret, T.M.-J. & Walker, S.L. Rapid detection of *Obesumbacterium proteus* from yeast and wort using polymerase chain reaction, 281
Mazuy, C. *see* Vernozy-Rozand, C.
Mazzanti, G. *see* Trombetta, D.
Mcwilliam Leitch, E.C. & Stewart, C.S. Susceptibility of *Escherichia coli* O157 and non-O157 isolates to lactate, 176
Medina, M. *see* Morales, P.
Mikhailov, V.V. *see* Alexeeva, Y.V.
Mildner, S. *see* Jelen, H.H.
Miles, R.J. *see* Abu-Amero, K.K.
Millar, B.C., Moore, J.E., Xu, J., Walker, M.J., Hedderwick, S. & McMullan, R. Genotypic subgrouping of clinical isolates of *Candida albicans* and *Candida dubliniensis* by 25S intron analysis, 102
Millar, B.C. *see* Sekizuka, T.

Mitsumori, M., Ajisaka, N., Tajima, K., Kajikawa, H. & Kurihara, M. Detection of *Proteobacteria* from the rumen by PCR using methanotroph-specific primers, 251
Monk, I. *see* Bremer, P.J.
Montet, M.P. *see* Vernozy-Rozand, C.
Moore, J.E. *see* Millar, B.C.
Moore, J.E. *see* Sekizuka, T.
Morales, P., Gaya, P., Medina, M. & Nuñez, M. Hydrophilic and hydrophobic peptides produced in cheese by wild *Lactococcus lactis* strains, 518
Morelli, I. *see* Nostro, A.
Morisaki, H., Igarashi, T., Yamamoto, A. & Goto, N. Analysis of a dextran-binding domain of the dextranase of *Streptococcus mutans*, 223
Morita, M. *see* Horii, T.
Muñoz, J. *see* Marquina, D.
Murayama, O. *see* Sekizuka, T.
Musolino, A.D. *see* Nostro, A.
Mustapha, A. *see* Li, Y.

Nabuurs, M.J.A. *see* Kiers, J.L.
Nakamura, M. *see* Kondoh, K.
Nandi, S., Chakraborti, A., Bakshi, D.K., Rani, A., Kumar, R. & Ganguly, N.K. Association of pyrogenic exotoxin genes with pharyngitis and rheumatic fever/rheumatic heart disease among Indian isolates of *Streptococcus pyogenes*, 237
Nielsen, E.M. Occurrence and strain diversity of thermophilic campylobacters in cattle of different age groups in dairy herds, 85
Niessen, L. *see* Schnerr, H.
Nissen, H., Rosnes, J.T., Brendehaug, J. & Kleiberg, G.H. Safety evaluation of sous vide-processed ready meals, 433
Nomura, M. *see* Kobayashi, M.
Nostro, A., Cannatelli, M.A., Morelli, I., Cioni, P.L., Bader, A., Marino, A. & Alonzo, V. Preservative properties of *Calamintha officinalis* essential oil with and without EDTA, 385
Nostro, A., Cannatelli, M.A., Musolino, A.D., Procopio, F. & Alonzo, V. *Helichrysum italicum* extract interferes with the production of enterotoxins by *Staphylococcus aureus*, 181
Nout, M.J.R. *see* Kiers, J.L.
Nuñez, M. *see* Morales, P.

Ogden, I.D. *see* Hepburn, N.F.
Ohmomo, S. *see* Kobayashi, M.
Okamoto, T. *see* Kobayashi, M.
Okumura, K. *see* Tanaka, Y.
Orlić, S. *see* Redžepović, S.
Owen, R.J. *see* Chisholm, S.A.
Özkanca, R. & Flint, K.P. The effect of starvation stress on the porin protein expression of *Escherichia coli* in lake water, 533

Pagán, R. *see* Álvarez, I.
Palma, A.M. *see* Sawaya, A.C.H.F.
Pamment, N.B. *see* Vriesekoop, F.
Park, H.D. *see* Kim, K.P.
Park, J.-O., El-Tarabily, K.A., Ghisalberti, E.L. & Sivasithamparam, K. Pathogenesis of *Streptoverticillium albireticuli* on *Caenorhabditis elegans* and its antagonism to soil-borne fungal pathogens, 361
Park, J.P. *see* Cho, Y.J.
Patel, B. *see* Chisholm, S.A.
Patil, S., Shukla, A., Shinde, K. & Banerjee, T. Bioconversion of 3β-acetoxypregna-5,16-diene-20-one to androsta-1,4-diene-3,17-dione by mixed bacterial culture, 95
Pavlou, A., Turner, A.P.F. & Magan, N. Recognition of anaerobic bacterial isolates *in vitro* using electronic nose technology, 366
Peinado, J.M. *see* Marquina, D.
Peixoto, R.S., da Costa Coutinho, H.L., Rumjanek, N.G., Macrae, A. & Rosado, A.S. Use of *rpo*B and 16S rRNA genes to analyse bacterial diversity of a tropical soil using PCR and DGGE, 316
Pereira, M.S.V., Leal, N.C., Leal, T.C.A., Sobreira, M., de Almeida, A.M.P., Siqueira-Júnior, J.P. & Campos-Takaki, G.M. Typing of human and bovine *Staphylococcus aureus* by RAPD-PCR and ribotyping-PCR, 32
Perrin, S. *see* Warchol, M.
Petrie, S. *see* McKenna, F.
Pochanavanich, P. & Suntornsuk, W. Fungal chitosan production and its characterization, 17
Pretorius, I.S. *see* Redžepović, S.
Pristaš, P. *see* Holovská, K.
Probert, H.M. & Gibson, G.R. Investigating the prebiotic and gas-generating effects of selected carbohydrates on the human colonic microflora, 473
Procopio, F. *see* Nostro, A.
Pullammanappallil, P. *see* Kuang, Y.

Qin, W.-M. *see* Lan, W.-Z.
Qiuling, W. *see* Yinghui, D.

Ragot, C. *see* Vernozy-Rozand, C.
Rajendhran, J., Krishnakumar, V. & Gunasekaran, P. Optimization of a fermentation medium for the production of Penicillin G acylase from *Bacillus* sp., 523

Ranasinghe, L., Jayawardena, B. & Abeywickrama, K. Fungicidal activity of essential oils of *Cinnamomum zeylanicum* (L.) and *Syzygium aromaticum* (L.) Merr et L.M.Perry against crown rot and anthracnose pathogens isolated from banana, 208
Rani, A. *see* Nandi, S.
Rasmusson, M. *see* Vriesekoop, F.
Raso, J. *see* Álvarez, I.
Ray-Gueniot, S. *see* Vernozy-Rozand, C.
Redžepović, S., Orlić, S., Sikora, S., Majdak, A. & Pretorius, I.S. Identification and characterization of *Saccharomyces cerevisiae* and *Saccharomyces paradoxus* strains isolated from *Croatian vineyards*, 305
Rhee, C.H. *see* Kim, K.P.
Richard, Y. *see* Vernozy-Rozand, C.
Roberts, S.K., Wei, G.X. & Wu, C.D. Evaluating biofilm growth of two oral pathogens, 552
Rocha, E.M.F., Almeida, C.B. & Martinez-Rossi, N.M. Identification of genes involved in terbinafine resistance in *Aspergillus nidulans*, 228
Roche, D.M. & Dowds, B.C.A. Identification and sequence of an unstable DNA element in the entomopathogenic bacteria *Photorhabdus temperata* strain K122, 131
Rodrigues Coelho, M.R. *see* dos Santos, S.C.C.
Roller, S. & Seedhar, P. Carvacrol and cinnamic acid inhibit microbial growth in fresh-cut melon and kiwifruit at 4° and 8°C, 390
Rombouts, F.M. *see* Kiers, J.L.
Rosado, A.S. *see* Peixoto, R.S.
Rosnes, J.T. *see* Nissen, H.
Rumjanek, N.G. *see* Peixoto, R.S.

Saija, A. *see* Trombetta, D.
Sangodkar, U.M.X. *see* Dhindsa, K.S.
Santos, A. *see* Marquina, D.
Santos, I.M., Abrunhosa, L., Venâncio, A. & Lima, N. The effect of culture preservation techniques on patulin and citrinin production by *Penicillium expansum* Link, 272
Santos, Y. *see* Mata, M.
Sato, M. *see* Tanaka, H.
Sautour, M. *see* Dantigny, P.
Sawaya, A.C.H.F., Palma, A.M., Caetano, F.M., Marcucci, M.C., da Silva Cunha, I.B., Araujo, C.E.P. & Shimizu, M.T. Comparative study of *in vitro* methods used to analyse the activity of propolis extracts with different compositions against species of *Candida*, 203
Schneider, F. *see* Warchol, M.
Schnerr, H., Vogel, R.F. & Niessen, L. Correlation between DNA of trichothecene-producing *Fusarium species* and deoxynivalenol concentrations in wheat-samples, 121
Scouten, A.J. *see* Beuchat, L.R.
Seedhar, P. *see* Roller, S.
Sekizuka, T., Gondo, T., Murayama, O., Moore, J.E., Millar, B.C. & Matsuda, M. *flaA*-like sequences containing internal termination codons (TAG) in urease-positive thermophilic *Campylobacter* isolated in Japan, 185
Seldin, L. *see* dos Santos, S.C.C.
Sereni, A. *see* Tegli, S.
Shaukat, S.S. *see* Siddiqui, I.A.
Shen, A. *see* Wang, Q.
Shimizu, M.T. *see* Sawaya, A.C.H.F.
Shinde, K. *see* Patil, S.
Shiyu, F. *see* Yinghui, D.
Shukla, A. *see* Patil, S.
Siddiqui, I.A. & Shaukat, S.S. Zinc and glycerol enhance the production of nematicidal compounds *in vitro* and improve the biocontrol of *Meloidogyne javanica* in tomato by fluorescent pseudomonads, 212
Sikora, S. *see* Redžepović, S.
Sim, J., Hood, D., Finnie, L., Wilson, M., Graham, C., Brett, M. & Hudson, J.A. Series of incidents of *Listeria monocytogenes* non-invasive febrile gastroenteritis involving ready-to-eat meats, 409
Singh, G. & Wright, D. *In vitro* studies on the effects of herbicides on the growth of rhizobia, 12
Siqueira-Júnior, J.P. *see* Pereira, M.S.V.
Sivasithamparam, K. *see* Park, J.-O.
Skarmeta, A. *see* Mata, M.
Slováková, L., Dušková, D. & Marounek, M. Fermentation of pectin and glucose, and activity of pectin-degrading enzymes in the rabbit caecal bacterium *Bifidobacterium pseudolongum*, 126
Soares Mansur, C. *see* Dantigny, P.
Sobreira, M. *see* Pereira, M.S.V.
Sogabe, M. *see* Tanaka, Y.
Spano, G., Beneduce, L., Tarantino, D., Zapparoli, G. & Massa, S. Characterization of *Lactobacillus plantarum* from wine must by PCR species-specific and RAPD-PCR, 370
Stewart, C.S. *see* Mcwilliam Leitch, E.C.
Suh, H.J. *see* Koh, J.H.
Suntornsuk, W. *see* Pochanavanich, P.
Surico, G. *see* Tegli, S.

Tajima, K. *see* Mitsumori, M.
Takeuchi, H. *see* Tanaka, H.
Taktakishvili, M.I. *see* Anpilov, A.M.
Tan, S.-F. *see* Liu, Y.
Tanaka, H., Sato, M., Fujiwara, S., Hirata, M., Etoh, H. & Takeuchi, H. Antibacterial activity of isoflavonoids isolated from *Erythrina variegata* against methicillin-resistant *Staphylococcus aureus*, 494

Tanaka, Y., Sogabe, M., Okumura, K. & Kurane, R. A highly selective direct method of detecting sulphate-reducing bacteria in crude oil, 242
Tarantino, D. *see* Spano, G.
Tateno, H. *see* Fujimura, S.
Tay, J.-H. *see* Jiang, H.-L.
Tay, J.-H. *see* Liu, Y.
Tay, S.T.-L. *see* Jiang, H.-L.
Tchobanov, I. *see* Dantigny, P.
Teare, E.L. *see* Chisholm, S.A.
Tegli, S., Sereni, A. & Surico, G. PCR-based assay for the detection of *Curtobacterium flaccumfaciens* pv. *flaccumfaciens* in bean seeds, 331
Teixidó, N. *see* Costa, E.
Toba, T. *see* Horie, M.
Trombetta, D., Saija, A., Bisignano, G., Arena, S., Caruso, S., Mazzanti, G., Uccella, N. & Castelli, F. Study on the mechanisms of the antibacterial action of some plant α, β-unsaturated aldehydes, 285
Tseng, S.K. *see* Ho, C.M.
Tseng, Y.-H. *see* Yang, T.-C.
Tsuji, N. *see* Kondoh, K.
Turner, A.P.F. *see* Pavlou, A.
Tynan, P. *see* Amar, C.F.L.

Uccella, N. *see* Trombetta, D.
Uehara, N. *see* Kondoh, K.
Urdahl, A.M., Cudjoe, K., Wahl, E., Heir, E. & Wasteson, Y. Isolation of Shiga toxin-producing *Escherichia coli* O103 from sheep using automated immunomagnetic separation (AIMS) and AIMS-ELISA: sheep as the source of a clinical *E.coli* O103 case?, 218
Usall, J. *see* Costa, E.

van der Meulen, J. *see* Kiers, J.L.
Venâncio, A. *see* Santos, I.M.
Vernozy-Rozand, C., Ray-Gueniot, S., Ragot, C., Bavai, C., Mazuy, C., Montet, M.P., Bouvet, J. & Richard, Y. Prevalence of *Escherichia coli* O157:H7 in industrial minced beef, 7
Viñas, I. *see* Costa, E.
Vogel, R.F. *see* Schnerr, H.
Vos, J.G. *see* de Waard, R.
Vriesekoop, F., Rasmusson, M. & Pamment, N.B. Respective effects of sodium and chloride ions on filament formation and growth and ethanol production in *Zymomonas mobilis* fermentations, 27

Wahl, E. *see* Urdahl, A.M.
Walker, M.J. *see* Millar, B.C.
Walker, S.L. *see* Maugueret, T.M.-J.
Wang, H.X. *see* Gao, L.F.
Wang, Q., He, P., Lu, D., Shen, A. & Jiang, N. Screening of pyruvate-producing yeast and effect of nutritional conditions on pyruvate production, 338
Warchol, M., Perrin, S., Grill, J.-P. & Schneider, F. Characterization of a purified β-fructofuranosidase from *Bifidobacterium infantis* ATCC 15697, 462
Wasteson, Y. *see* Urdahl, A.M.
Watanabe, A. *see* Fujimura, S.
Watanabe, N. *see* Kondoh, K.
Wei, G.X. *see* Roberts, S.K.
West, T.P. Control of pyrimidine synthesis in *Pseudomonas fragi*, 380
Wilson, M. *see* Sim, J.
Woon, K.-H. *see* Liu, Y.
Wright, D. *see* Singh, G.
Wu, C.D. *see* Roberts, S.K.
Wu, G.-H. *see* Yang, T.-C.

Xu, J. *see* Millar, B.C.

Yagihashi, A. *see* Kondoh, K.
Yamamoto, A. *see* Morisaki, H.
Yang, S.-F. *see* Liu, Y.
Yang, T.-C., Wu, G.-H. & Tseng, Y.-H. Isolation of a *Xanthomonas campestris* strain with elevated β-galactosidase activity for direct use of lactose in xanthan gum production, 375
Yinghui, D., Qiuling, W. & Shiyu, F. Laccase stabilization by covalent binding immobilization on activated polyvinyl alcohol carrier, 451
Yu, K.W. *see* Koh, J.H.
Yu, L.-J. *see* Lan, W.-Z.
Yun, J.W. *see* Cho, Y.J.

Zadiraka, Y. *see* Anpilov, A.M.
Zapparoli, G. *see* Spano, G.
Zazo, J. *see* Marquina, D.
Zhang, G.W., Kotiw, M. & Daggard, G. A RAPD-PCR genotyping assay which correlates with serotypes of group B streptococci, 247
Zvaygintseva, T.N. *see* Alexeeva, Y.V.

Index of Subjects

A new system, Compactdry SCD (T. Horii, M. Morita, Y. Kameno, T. Kanno & M. Maekawa) 499
A simple direct method for detection of the SRB in crude oil (Y. Tanaka, M. Sogabe, K. Okumura & R. Kurane) 242
α, β-unsaturated aldehydes and membranes (D. Trombetta, A. Saija, G. Bisignano, S. Arena, S. Caruso, G. Mazzanti, N. Uccella & F. Castelli) 285
Actinomycetes ameliorate water repellency (F. McKenna, K.A. El-Tarabily, S. Petrie, C. Chen & B. Dell) 107
Aerobic granules: a novel zinc bioabsorbent (Y. Liu, S.-F. Yang, S.-F. Tan, Y.-M. Lin & J.-H. Tay) 549
Agar gel immunodiffusion test (R. Ferreira, L.S. Fonseca & W. Lilenbaum) 173
Amino acid transport in *Leuconostoc* (F. Gendrot, C. Foucaud-Scheunemann, M. Ferchichi & D. Hemme) 291
Anaerobic isolates recognition and electronic nose technology (A. Pavlou, A.P.F. Turner & N. Magan) 366
Antifungal antibiotic production by *Streptomyces chattanogensis* (M.D. Gupte & P.R. Kulkarni) 22
Anti-MRSA activity of isoflavins (H. Tanaka, M. Sato, S. Fujiwara, M. Hirata, H. Etoh & H. Takeuchi) 494
AP-PCR and PFGE in methicillin-resistant *Staph. aureus* (K. Kondoh, D. Furuya, A. Yagihashi, N. Uehara, M. Nakamura, D. Kobayashi, N. Tsuji & N. Watanabe) 62
Arachidonic acid production from *M. alpina* (W.-Z. Lan, W.-M. Qin & L.-J. Yu) 357

β-Fructofuranosidase bifidobacteria (M. Warchol, S. Perrin, J.-P. Grill & F. Schneider) 462
Bioconversion of 16-DPA to ADD (S. Patil, A. Shukla, K. Shinde & T. Banerjee) 95
Biofilm growth of oral pathogens (S.K. Roberts, G.X. Wei and C.D. Wu) 553
Brazilian propolis against *Candida* (A.C.H.F. Sawaya, A.M. Palma, F.M. Caetano, M.C. Marcucci, I.B. da Silva Cunha, C.E.P. Araujo & M.T. Shimizu) 203

C. officianalis and preserving properties (A. Nostro, M.A. Cannatelli, I. Morelli, P.L. Cioni, A. Bader, A. Marino & V. Alonzo) 385
Campylobacter PCR evaluation (M.D. Englen & P.J. Fedorka-Cray) 353
Cellobiose dehydrogenases from *Sclerotium* spp. (R. Ludwig & D. Haltrich) 256
Cholesterol degradation by *Bacillis subtilis* (K.P. Kim, C.H. Rhee & H.D. Park) 468
Conidiation in insect-pathogenic fungi (A.M. Kamp & M.J. Bidochka) 74
Correlation between DNA and DON (H. Schnerr, R.F. Vogel & L. Niessen) 121

Detection of *Ps. tolaasii* by PCR (H.-I. Lee, K.-S. Jeong & J.-S. Cha) 276
Detection of verotoxin genes (C. Bürk, I.G.B. Braumiller, H. Becker & E. Märtlbauer) 153
Dextran-binding domain of dextranase (H. Morisaki, T. Igaarashi, A. Yamamoto & N. Goto) 223
DGGE with *rpo*B (R.S. Peixoto, H.L. da Costa Coutinho, N.G. Rumjanek, A. Macrae & A.S. Rosado) 316
Dietary effects on bowel flora of mice (D. Marquina, A. Santos, I. Corpas, J. Muñoz, J. Zazo & J.M. Peinado) 136
Diversity of *Paenibacillus polymyxa* (S.C.C. dos Santos, M.R. Rodrigues Coelho & L. Seldin) 52

E. coli in abattoir wastes (N.F. Hepburn, M. MacRae & I.D. Ogden) 233
E. coli O157:H7 in minced beef (C. Vernozy-Rozand, S. Ray-Gueniot, C. Ragot, C. Bavai, C. Mazuy, M.P. Montet, J. Bouvet & Y. Richard) 7
E. coli susceptibility to lactate (E.C. McWilliam Leitch & C.S. Stewart) 176
Effect of chlorine on attached cells (P.J. Bremer, I. Monk & R. Butler) 321
Effects of herbicides on rhizobia (G. Singh & D. Wright) 12
Effects of ions on *Zymomonas mobilis* (F. Vriesekoop, M. Rasmusson & N.B. Pamment) 27
Enumeration of fungi on fruit (L.R. Beuchat, A.J. Scouten & J. Jablonska) 399
Exotoxin genes of Indian gas isolates (S. Nandi, A. Chakraborti, D.K. Bakshi, A. Rani, R. Kumar & N.K. Ganguly) 237

Fluorogenic detection of SNPS in *Listeria* (K. Koo & L.-A. Jaykus) 514
β-Fructofuranosidase bifidobacteria (M. Warchol, S. Perrin, J.-P. Grill & F. Schneider) 462
Fruit preservation (S. Roller & P. Seedhar) 390
Fungal chitosan (P. Pochanavanich & W. Suntornsuk) 17
Fungal-growth inhibition under MA (S.W. Hoogerwerf, E.P.W. Kets & J. Dijksterhuis) 419
Fungicidal activity of selected essential oils (L. Ranasinghe, B. Jayawardena & K. Abeywickrama) 208

Genetic diversity in Swiss cheese starter cultures (J.K. Jenkins, W.J. Harper & P.D. Courtney) 423
Genetic diversity of *Caragana intermedia* rhizobia (L.F. Gao, Z.A. Hu & H.X. Wang) 347

Genotyping from stained slides (C.F.L. Amar, R.M. Chalmers, K. Elwin, P. Tynan & J. McLauchlin) 486
Genotyping of *Candida albicans* (B.C. Millar, J.E. Moore, J. Xu, M.J. Walker, S. Hedderwick & R. McMullan) 102
Germination and lag time in *Mucor racemosus* (P. Dantigny, C. Soares Mansur, M. Sautour, I. Tchobanov & M. Bensoussan) 395
Glutamate uptake in *Lact. delbrueckii* (G. Savoy de Giori, C. Foucaud-Scheunemann, M. Ferchichi & D. Hemme) 428
Growth rate reduction of *Lactococcus lactis* (M. Kobayashi, M. Nomura, Y. Fujita, T. Okamoto & S. Ohmomo) 403

H. italicum and enterotoxin production (A. Nostro, M.A. Cannatelli, A.D. Musolino, F. Procopio & V. Alonzo) 181
Helicobacter pylori in cow's milk (S. Fujimura, T. Kawamura, S. Kato, H. Tateno & A. Watanabe) 504

Identification of *Lactobacillus crispus* (M. Horie, H.S. Kajikawa & T. Toba) 57
Inactivation of *Listeria monocytogenes* by PEF (I. Álvarez, R. Pagán, J. Raso & S. Condón) 489
Influence of phenol on aerobic granules (Y. Liu, K.-H. Woon, S.-F. Yang & J.-H. Tay) 162
Isolation of STEC O103 from sheep (A.M. Urdahl, K. Cudjoe, E. Wahl, E. Heir & Y. Wasteson) 218

Laccase stabilization by covalent binding immobilization (D. Yinghui, W. Qiuling & F. Shiyu) 451
Lactose-utilizing *X. campestris* (T-C. Yang, G-H. Wu & Y-H. Tseng) 375
Listeria-defined medium interaction (G.A. Dykes & M. Dworaczek) 539
Listeriosis from corned beef and ham (J. Sim, D. Hood, L. Finnie, M. Wilson, C. Graham, M. Brett & J.A. Hudson) 409

Metabolism of pectin in *Pseudolongum* (L. Slováková, D. Dušková & M. Marounek) 126
Microbial granules during co-digestion of LCFA (Y. Kuang, M. Lepesteur, P. Pullammanappallil & G.E. Ho) 190
Microparticulate β-glucan (K.W. Hunter Jr, R.A. Gault & M.D. Berner) 267
Mycotoxins and *P. expansum* preservation (I.M. Santos, L. Abrunhosa, A. Venâncio & N. Lima) 272

New technique of screening soils for mosquito pathogenic bacilli (K.S. Dhindsa, U.M.X. Sangodkar & A. Kumar) 457
Novel method for monitoring fusion between *Acholeoplasma* cells and liposomes (K.K. Abu-Amero, M.A. Halablab & R.J. Miles) 529

Obesumbacterium proteus PCR (T.M.-J. Maugueret & S.L. Walker) 281
Oil-degraders from scale oil (K. Jirasripongpun) 296
Oligopeptide transport in *Leuc. mesenteroides* (V. Germain-Alpettaz & C. Foucaud-Scheunemann) 68
One-step *H. pylori* genotyping (S.A. Chisholm, E.L. Teare, B. Patel & R.J. Owen) 42
Optimization of glycosidases production by *Pseudoalteromonas issachenkonii* (Y.V. Alexeeva, E.P. Ivanova, I.Y. Bakunina, T.N. Zvaygintseva & V.V. Mikhailov) 343

Pantonea agglomerans growth (E. Costa, N. Teixidó, J. Usall, E. Atarés & I. Viñas) 117
Pathogenicity of *Streptoverticillium albirticuli* (J.O. Park, K.A. El-Tarabily, E.L. Ghisalberti & K. Sivasithamparam) 361
PCR detection of *Cff* (S. Tegli, A. Sereni & G. Surico) 331
PCR detection of psychrotolerant *Clostridia* (J.A. Boerema, D.M. Broda & R.G. Bell) 446
PCR species-species on *L. plantarum* (G. Spano, L. Beneduce, D. Tarantino, G. Zapparoli & S. Massa) 370
PCR template preparation methods (Y. Li & A. Mustapha) 509
Penicillin G acylase of *Bacillus* sp. (J. Rajendhran, V. Krishnakumar & P. Gunasekaran) 524
Peptide formation in cheese (P. Morales, P. Gaya, M. Medina & M. Nuñez) 519
Phenol biodegradation in aerobic granules (H.-L. Jiang, J.-H. Tay & S.T.-L. Tay) 439
Phytase production (G.Q. Lan, N. Abdullah, S. Jalaludin & Y.W. Ho) 157
Plant oxidants and ruminal bacteria (K. Holovská, V. Lenártova, K. Holovská, P. Pristaš & P. Javorský) 301
Plasma disinfection of liquids (A.M. Anpilov, E.M. Barkhudarov, N. Christofi, V.A. Kop'ev, I.A. Kossyi, M.I. Taktakishvili & Y. Zadiraka) 90
Porin expression in starved *E.coli* (R. Özkanca & K.P. Flint) 534
PR toxin and volatile metabolites produced by *Penicillium roqueforti* (H.H. Jelen, S. Mildner & K. Czaczyk) 37
Prebiotic effect and gas generation (H.M. Probert & G.R. Gibson) 473
Production of red pigment in *P. sinclairii* (Y.J. Cho, J.P. Park, H.J. Hwang, S.W. Kim, J.W. Choi & J.W. Yun) 195
Protective agents for wine yeasts (A. Caridi) 98

Proteobacteria from the rumen (M. Mitsumori, N. Ajisaka, K. Tajima, H. Kajikawa & M. Kurihara) 251
Pyrimadine synthesis in *Ps. fragi* (T.P. West) 380
Pyruvate production by yeast (Q. Wang, P. He, D. Lu, A. Shen & N. Jiang) 338

Quantifying antibiotic resistance (R.W. Humphry, D. Blake, D. Fenlon, G. Horgan, J.C. Low & G.J. Gunn) 326

RAPD-PCR of *A. butzleri* isolates (H.I. Atabay, D.D. Bang, F. Aydin, H.M. Erdogan & M. Madsen) 141
Resident lactobacilli and immunity (R. de Waard, J. Garssen, J.G. Vos & E. Claassen) 256

Saccaromyces strains isolated from vineyards (S. Redžepović, S. Orlić, S. Sikora, A. Majdak & I.S. Pretorius) 305
Saccharomyces cerevisiae and fermented rice bran (J.H. Koh, K.W. Yu & H.J. Suh) 47
Safety of sous vide-processed meals (Nissen, J.T. Rosnes, J. Brendehaug & G.H. Kleiberg) 433
Salt-tolerant α-amylase (C.E. Deutch) 78
Serotyping and RAPD profiles of *Salmonella* (M.H.R. Khoodoo, M. I. Issack & Y. Jaufeerally-Fakim) 146
Serotyping of *Fl. psychrophilum* (M. Mata, A. Skarmeta & Y. Santos) 166
Simultaneous nitrification and denitrification (C.M. Ho, S.K. Tseng & Y.J. Chang) 481
Subtractive suppression hybridization and (lower) eucaryotic genome (C. Harms, M. Käse & A. Hildebrandt) 113

Tempe inhibits ETEC adhesion (J.L. Kiers, M.J.R. Nout, F.M. Rombouts, M.J.A. Nabuurs & J. van der Meulen) 311
Terbinafine resistance in *Aspergillus nidulans* (E.M.F. Rocha, C.B. Almeida & N.M. Martinez-Rossi) 228
Thermophilic campylobacters in cattle (E.M. Nielsen) 85
Typing GBS by REPD-PCR (G.W. Zhang, M. Kotiw & G. Daggard) 247
Typing of *Staphylococcus aureus* (M.S.V. Pereira, N.C. Leal, T.C.A. Leal, M. Sobreira, A.M.P. de Almeida, J.P. Siqueira-Júnior & G.M. Campos-Takaki) 32
Typing of *Yersinia pestis* (Y.V.N. Cavalcanti, N.C. Leal & A.M.P. de Almeida) 544

Unstable DNA of *Photorhabdus* (D.M. Roche & B.C.A. Dowds) 131
UPTC *flaA*-like sequences (T. Sekizuka, T. Gondo, O. Murayama, J.E. Moore, B.C. Millar & M. Matsuda) 185

Virus immobilization with zirconium hydroxide (D.H. D'Souza & L.-A. Jaykus) 414

Zinc and glycerol enhance the nematicidal potential of pseudomonads (I.A. Siddiqui & S.S. Shaukat) 212